



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

FORSELL Atty. Ref.: 2333-72

Serial No. 09/893,510 Group: 3738

Filed: June 29, 2001 Examiner: Gilpin, C.

For: INTESTINE DYSFUNCTION TREATMENT

**APPARATUS** 

\* \* \* \* \* \* \* \* \* \*

October 29, 2003 RECEIVED

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TECHNOLOGY CENTER R3700

## **INFORMATION DISCLOSURE STATEMENT**

Pursuant to 37 C.F.R. §1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449. Copies of the references identified on the form PTO-1449 are also attached. The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the cited references have been considered and made of record.

Submission of this Information Disclosure Statement is not to be construed as a representation that a search has been made, or that no better references exist, or that any submitted reference is material merely because it has been cited herein. If there are any questions regarding this submission, the Examiner is urged to call the undersigned at the telephone number listed below.

This Information Disclosure Statement is being submitted under the provisions of 37 C.F.R. §1.97(c)(2). The fee due under 37 C.F.R. § 1.17(p) is included in the check

accompanying the Amendment that is being submitted concurrently herewith. In the

10/30/2003 ZJUHAR1 00000091 09893510

04 FC:1806 180.00 OP

787966

FORSELL Serial No. 09/893,510 Page 2

event that there is a deficiency in the amount submitted, the Commissioner is hereby authorized to charge any such deficiency due under 37 C.F.R. §1.17(p) to the deposit account of Nixon & Vanderhye, Account No. 14-1140.

NIXON & VANDERHYE P.C.

By: Pobet A. Mulan

Robert A. Molan Reg. No. 29,834

RAM:dt

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000

Facsimile: (703) 816-4100